



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Raquel M. Filmanowicz
Health Operations Administrator

Health Department

Family and Community Health Services

web site: www.milwaukee.gov/health



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Raquel M. Filmanowicz
Health Operations Administrator

Family and Community Health Services

Health Department

web site: www.milwaukee.gov/health

Routine Food Reinspection #1



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Raquel M. Filmanowicz
Health Operations Administrator

Health Department

Family and Community Health Services

web site: www.milwaukee.gov/health

BARATH K. BALASUBRAMANIAN
DAIRY QUEEN
6818 W BROWN DEER RD
MILWAUKEE,WI

9/3/2008

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

Fee Amount: \$78.00

Code Number	Description of Violation	Correct By
4-501.11	<p>The following equipment need to be repaired.</p> <ol style="list-style-type: none"> 1) The condenser in the walk in freezer is leaking. The leak is accumulating close to the outlet inside the walk in freezer. Have the condenser repaired so that it no longer leaks. 2) There is a leak at the fans in the walk in cooler. The leak is pooling onto the floor of the walk in cooler. Have the fan unit inside the walk in cooler repaired so that it no longer leaks. 3) The floor of the walk in cooler appears to be rusted. Clean the floor of the walk in cooler and replace the flooring material if the floor is rusted. 4) There is a crack in the basin of the mop sink which leaks water onto the floor area. Replace the old mop sink with a new mop sink. Ensure that all gaps and junctions are sealed when installing the new mop sink. 5) The Kelvinator freezer is no longer functioning as designed. There is a large amount of ice buildup on the ceiling of the freezer. Have the unit serviced and repaired or remove the unit from the premise. 6) Provide stoppers for the dipperwells so that the dipper wells function as designed. 	9/10/2008



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Raquel M. Filmanowicz
Health Operations Administrator

Health Department

Family and Community Health Services

web site: www.milwaukee.gov/health

- 4-601.11 There is an accumulation of grease on the side of the warmer. The sides of the warmer must be cleaned as often as necessary to prevent the buildup of grease and food debris. Clean and maintain clean the sides of the warmer. 9/10/2008
- The old soft serve unit in the back has accumulation of old dried food debris. Clean and maintain clean the old soft serve unit. If the unit is non-functional, remove the unit from the premise.
- The vent in the walk in cooler has accumulation of dust. Clean and maintain clean the vent.
- 6-501.114 The ground around the grease bin has an accumulation of spilled grease. Clean the area as often as necessary to prevent the accumulation and buildup of spilled grease. 9/10/2008



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Raquel M. Filmanowicz
Health Operations Administrator

Health Department

Family and Community Health Services

web site: www.milwaukee.gov/health

other

6-501.11 The floor area near the walk in freezer is deteriorating and water is pooling underneath the flooring material. Other floor areas in the kitchen are also deteriorating and there are areas where the seams are coming apart. Repair the floor with commercial flooring and ensure that the floor is watertight and is smooth and cleanable.

9/10/2008

4-101.11 The Kitchen Aid mixer is not approved to be used in a commercial environment. Remove the unit and replace with an NSF or sanitation listed unit.

The white chest freezer in the front area is not approved to be used in a commercial environment. Remove the unit and replace with an NSF or sanitation listed unit.

Notes:

Ensure that the floor replacement is gapless and is watertight. All gaps are to be sealed and all floor surfaces must be smooth and cleanable.

Caulk all gaps around the mop sink.

Repair all loose corner edges and replace all damaged cooler/freezer gaskets.

Remove the wood block from underneath the hood.

Keep the hood and all hood interior walls clean of debris and grease at all times.

Ensure that the dipper well in the front does not drip water onto the floor. Have the drain repaired or modified so that water is able to drain without spilling onto the floor.

On 9/3/2008, I served these orders upon BARATH K. BALASUBRAMANIAN by leaving this report with

Inspector Signature (Inspector ID:66)

Operator Signature