



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Raquel M. Filmanowicz
Health Operations Administrator

Health Department

Family and Community Health Services

web site: www.milwaukee.gov/health

Routine Food

Robert Pyles
McDonald's
7130 N 76th St
Milwaukee, WI

2/24/2011

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

Code Number	Description of Violation	Correct By
	No Violations to Report	

Notes:

1. The cooler in the drive thru area is holding the correct temperature of 41F or below, however the door is broken and not closing properly. This should be repaired.
2. Ensure all wiping cloths are stored in sanitizer solution when not in use.
3. There is a small leak in a compressor tube. This should be repaired to avoid pooling water.
4. Ensure all employees are aware of the proper location in the dish wash area for dirty dishes. Ensure sanitize compartment and drain board remain clean and sanitized at all times.

On 2/24/2011, I served these orders upon Robert Pyles by leaving this report with

Inspector Signature (Inspector ID:82)

Operator Signature