City of Milwaukee
Health Department

Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Sandra J. Rotar
Health Operations Administrator

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

Routine Food

VIRANI INC.
BP
7965 N 76th St
Milwaukee,WI

3/31/2016

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

CDC Risk Code Factor Violation(s)

Code Number	Description of Violation	Correct By
Improper Hold		
3-501.16	Milk temperature was 43.5F. Potentially hazardous foodmust be held cold at 41 degrees of below.	4/14/2016

CDC Risk Violation(s): 1

Good Retail Practice Violations(s)

Code Number	Description of Violation	Correct By
4-501.11	Light burned out in walk-in. Replace.	4/14/2016

Good Practice Violation(s): 1

Total Violations: 2

Notes:

On 3/31/2016, I served these orders upon VIRANI INC. by leaving this report with

Inspector Signature (Inspector ID:114)

Operator Signature