



Tom Barrett  
Mayor

Bevan K. Baker, FACHE  
Commissioner of Health

Joe'Mar Hooper, MPA  
Health Operations Administrator

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

## Routine Food Reinspection #1

76th Milwaukee J&J, Inc.  
J&J Fish & Chicken  
6610 N 76th St  
Milwaukee,WI

**2/11/2015**

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

**Fee Amount:  
\$213.00**

### CDC Risk Code Factor Violation(s)

Code Number	Description of Violation	Correct By
CDC Risk Violation(s):	0	

### Good Retail Practice Violations(s)

Code Number	Description of Violation	Correct By
3-501.16	A tub of cooked chicken was on the back prep table at 101 and one on the cookline table at 93F. Food was put in the refrigerator. Spaghetti in the front display cooler was 50F and unlabelled. Spaghetti was disposed of. Repair cooler or move hazardous foods to another location. Potentially hazardous food must be held cold at 41 degrees or below. Repeat	2/18/2015
3-602.11	Spaghetti and vanilla pudding comes from a supplier and comes unlabelled and undated. Discontinue buying these products from your supplier unless they label and date them. Properly label food.	2/18/2015
7-202.12	There was no sanitizer in the sanitizer compartment of the 4 compartment sink or in the sanitizer buckets. Chlorine/bleach needs to be changed out throughout the day, it gets used up or evaporates. All toxic materials must be used following the manufacturers directions.	2/18/2015

**Good Practice Violation(s):** 3

**Total Violations:** 3



Tom Barrett  
Mayor

Bevan K. Baker, FACHE  
Commissioner of Health

Joe'Mar Hooper, MPA  
Health Operations Administrator

[www.milwaukee.gov/health](http://www.milwaukee.gov/health)

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

**Notes:**

Reinspection notes:

Chicken out at 100F

0ppm chlorine in the warewashing sink

Items from Armitage still are being ordered without appropriate labeling of ingredients. Example: graham crackers, shortening, oreo cookies all need to have the break down of their ingredients (sub-ingredients). Discontinue ordering from them until they are compliant.

**ADDITIONAL VIOLATIONS**

Mold in the spaghetti containers

Cooked chicken tubs on top of raw chicken containers in the walk in cooler.

Fee assessed.

On 2/11/2015, I served these orders upon 76th Milwaukee J&J, Inc. by leaving this report with

Inspector Signature (Inspector ID:84)

Handwritten signature of the inspector, appearing to read "K. Crade".

Operator Signature

Handwritten signature of the operator, consisting of several loops and a long horizontal stroke.