



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Sandra J. Rotar
Health Operations Administrator

Health Department

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

Routine Food

R & G Pizza Inc
Papa Murphy's Take 'N' Bake Pizza
7708 W Good Hope Rd
Milwaukee, WI

9/8/2016

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

**Fee Amount:
\$125.00**

CDC Risk Code Factor Violation(s)

Code Number	Description of Violation	Correct By
CDC Risk Violation(s):	0	

Good Retail Practice Violations(s)

Code Number	Description of Violation	Correct By
12-201.11(C)	Certified Food Manager certificate and Food Dealer Retail License are not posted. Post the State certificate for your certified food manager and current food license.	9/8/2016
2-401.11	Open soda can in walk-in stored directly on food boxes. Employees may only eat in designated areas not in the food preparation area. Beverages must be in a spill proof container. REPEAT VIOLATION	9/8/2016
3-304.12	A) Scoop stored with handle in direct contact with dusting flour. B) Scoops stored with handles in direct contact with food items on pizza line. Scoops must be stored so that the handle does not contaminate food items.	9/8/2016
3-501.16	Grab n Go cooler is holding at 44.5°F. Potentially hazardous food items must be held at 41°F or below.	9/8/2016
4-601.11	A) Cutting boards are scored and have black residue. B) Dishes on clean rack have food remnants and debris. All food contact equipment and utensils must be clean. Replace cutting boards that are no longer smooth and cleanable.	9/8/2016
4-601.11	Sanitize end of the warewashing station and drainboard have debris accumulation. Clean, sanitize and maintain all equipment.	9/8/2016



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Sandra J. Rotar
Health Operations Administrator

Health Department

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

5-103.11	Handsink in kitchen does not provide adequate pressure to facilitate handwashing. Provide an adequate water supply.	9/8/2016
5-205.11	Handsink at front counter pizza line was blocked by sanitizer bucket and clogged with a wiping cloth at the time of inspection. Handsink was not available for use. Make sure the handsink is always available.	9/8/2016
6-301.12	Both handsinks in the prep kitchen did not have towels available. Provide single service towel for all handsinks. REPEAT VIOLATION	9/8/2016

Good Practice Violation(s): 9

Total Violations: 9

Notes:

Contact city clerk for current license 414)286-2238

On 9/8/2016, I served these orders upon R & G Pizza Inc by leaving this report with

Inspector Signature (Inspector ID:114)

Operator Signature