



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Joe'Mar Hooper, MPA
Health Operations Administrator

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

Routine Food

H Mahmood LLC
Mobile Filling Station
9425 W Brown Deer Rd
Milwaukee, WI

4/28/2014

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

**Fee Amount:
\$107.00**

CDC Risk Code Factor Violation(s)

Code Number	Description of Violation	Correct By
Cross Contamination		
3-304.11	1. Clean the mold out of the ice maker. 2. Store the ice scoop in a clean container, the current one is greasy and dirty. Food equipment must be clean and sanitized before used with food. REPEAT	5/12/2014
Improper Hold		
3-501.17	Undated cooked cabbage/meat and gizzards. Ready-to-eat potentially hazardous food held for more than 24 hours must clearly marked to indicate the day by which the food is to be consumed on the premise, sold, or discarded.	5/12/2014
3-501.18	Expired buttermilk and eggs in the kitchen, as well as, ribs and cole slaw. Potentially hazardous food must be discarded if the container is not properly date marked or has exceeded the time allowed. COS	5/12/2014
Other CDC Factors		
7-204.11	Using Sysco Sanitizer (qat) but will not turn test strips 200ppm . Buy an approved sanitizer and buy matching test strips. Bleach 100ppm or Qat 200ppm. All chemical sanitizers must be approved by the Health Department.	5/12/2014
Personal Hygiene		
6-301.12	No paper towels in the mens bathroom or at the sink by the ice maker. Provide single service toweling for all handsinks. REPEAT	5/12/2014
Unsafe Sources		
3-201.11	Remove the unknown liquid in the yellow phone directory bags in the walk in cooler. All food must come from an approved source.	5/12/2014



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Joe'Mar Hooper, MPA
Health Operations Administrator

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

CDC Risk Violation(s): 6

Good Retail Practice Violations(s)

Code Number	Description of Violation	Correct By
3-602.11	All bags of ice need to be labeled with your store name, full address, phone number.	5/12/2014
	Chocolate and butter needs to have the ingredients available. Leave them in their original boxes to sell. Properly label food. REPEAT	
4-501.11	Repair the walk in freezer condenser. Ice is accumulating on the floor. Clean floor.	5/12/2014
	Repair the lights in the womens bathroom so they come on when you flip the switch.	
	Replace the burnt out bulb in the hood and clean the interior outer lip free from grease buildup.	
	Unclog the hand sink by the ice maker, its draining slow.	
	Remove all homestyle cooking equipment: waffle iron, 3 burner cooker, pizza oven and the nesco. Only commercial equipment allowed.	

Good Practice Violation(s): 2

Total Violations: 8

Notes:

FDL yes
CFM no. See Special.

On 4/28/2014, I served these orders upon H Mahmood LLC by leaving this report with

Inspector Signature (Inspector ID:84)

Operator Signature