



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Raquel M. Filmanowicz
Health Operations Administrator

Health Department

Family and Community Health Services

web site: www.milwaukee.gov/health

Routine Food

PAVELA ENTERPRISES, LLC
BLACK KETTLE
8660 N 107TH ST
MILWAUKEE, WI

2/3/2009

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

Fee Amount: \$78.00

Code Number	Description of Violation	Correct By
3-501.16	The temperature inside the bar refrigerator containing potentially hazardous foods measured at 46 degrees F. Cold hold all potentially hazardous foods at 41 degrees F. or less at all times. Note: there is a large ice formation inside which is preventing the proper air flow inside the cooler. Remove the ice. REPEAT VIOLATION	2/17/2009
4-901.11	Baskets of silverware are being stored with the handles down. Always store silverware with the handles up so that the eating surface is not touched.	2/17/2009
6-301.12	Single-service towels are stuck inside dispenser by the warewashing area. Always ensure that all handwashing sinks have single-service towels available at all times. REPEAT VIOLATION	2/17/2009
6-501.18	The handle for the stem faucet at the warewashing sink is missing. Replace the handle.	2/17/2009

Notes:

NOTES:

1. Replace missing floor tiles in the kitchen area.
2. Remove the black mold buildup around the warewashing area.
3. Provide a light shield or shatterproof bulb for the light in the walk-in freezer in the basement.

On 2/3/2009, I served these orders upon PAVELA ENTERPRISES, LLC by leaving this report with

Inspector Signature (Inspector ID:4)

Operator Signature