



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Joe'Mar Hooper, MPA
Health Operations Administrator

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

Routine Food

Northwest Catholic
Northwest Catholic- Upper Campus
8202 W Denver Av
Milwaukee,WI

10/29/2014

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

CDC Risk Code Factor Violation(s)

Code Number	Description of Violation	Correct By
CDC Risk Violation(s):	0	

Good Retail Practice Violations(s)

Code Number	Description of Violation	Correct By
Good Practice Violation(s):	0	

Total Violations: 0

Notes:

Log daily temperatures of all coolers and freezers, dishwasher rinse cycle and start taking serving temperatures per your Food Safety Plan. Reacquaint yourselves and have all new staff trained and sign employee reporting agreements. Follow your Food Safety Plan. Get thermometer for the walk in cooler, the outside gauge may be broken or defective.

On 10/29/2014, I served these orders upon Northwest Catholic by leaving this report with

Inspector Signature (Inspector ID:84)

Operator Signature