



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Joe Mar Hooper, MPA
Health Operations Administrator

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

Routine Food Reinspection #1

K&Z, Inc.
Citgo 107
8632 N 107th St
Milwaukee, WI

2/27/2014

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

CDC Risk Code Factor Violation(s)

Code Number	Description of Violation	Correct By
CDC Risk Violation(s):	0	

Good Retail Practice Violations(s)

Code Number	Description of Violation	Correct By
Good Practice Violation(s):	0	

Total Violations: 0

Notes:

NOTE:
Daytime employee washing dishes incorrectly. Training session. Inspector filled all 3 sinks and demonstrated to day staff proper technique. 1 cap of bleach for full sanitizer sink. Do not mix soap and bleach together. Keep aisle clear for easy sink accessibility. Train the night time person this routine and include the cappuchino parts. Fee will be assessed at next inspection if this is not corrected.

On 2/27/2014, I served these orders upon K&Z, Inc. by leaving this report with

Inspector Signature (Inspector ID:84)

Operator Signature