



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Raquel M. Filmanowicz
Health Operations Administrator

Health Department

Family and Community Health Services

web site: www.milwaukee.gov/health

Routine Food

ABDALLAH, INC.
INTERNATIONAL HOUSE OF PANCAKES (IHOP)
8101 W BROWN DEER RD
MILWAUKEE, WI

1/20/2011

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

Fee Amount: \$87.00

Code Number	Description of Violation	Correct By
12-201.11	Provide a state certified food manager. (Manager states they have it, but could not find it during inspection.)	2/3/2011
3-302.11	Box of raw sausages is stored above lettuce in the walk-in cooler. Always store raw foods below ready-to-eat foods to prevent accidental cross-contamination. .	2/3/2011
3-501.16	The temperature of the bottom part of the cooler across from the cookline measures at 51 degrees F. All potentially hazardous foods must be held cold at 41 degrees or below. Repair or adjust cooler to maintain proper temperature.	2/3/2011
4-501.11	Repair/replace the following: 1. Shelves in the kitchen coolers are being held up with shoestrings. 2. Shelves are rusting and peeling. Remove rust and peeling coating (do not spray paint). 3. Moldy caulk around the handwashing sinks. 4. Soap stuck in dispenser on waitress station (east end). 5. Many gaskets are torn or missing on the coolers. 6. If the non-functioning cooler on the left side of the cookline is not going to used, remove it from the premises. REPEAT VIOLATION	2/3/2011



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Raquel M. Filmanowicz
Health Operations Administrator

Health Department

Family and Community Health Services

web site: www.milwaukee.gov/health

4-501.114

The chemical dishmachine is not sanitizing the dishes properly. There was no sanitizer residue on the test strip. Have machine adjusted or repaired so that the dishes are sanitized.

2/3/2011

Notes:

On 1/20/2011, I served these orders upon ABDALLAH, INC. by leaving this report with

Inspector Signature (Inspector ID:4)

Operator Signature