



Tom Barrett  
Mayor

Bevan K. Baker, FACHE  
Commissioner of Health

Sandra J. Rotar  
Health Operations Administrator

**Health Department**

[www.milwaukee.gov/health](http://www.milwaukee.gov/health)

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

## Routine Food

Hong Kong Express, Corp  
Hong Kong Express  
7420 W Good Hope Rd  
Milwaukee, WI

**3/15/2016**

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

**Fee Amount:  
\$107.00**

### CDC Risk Code Factor Violation(s)

Code Number	Description of Violation	Correct By
Improper Hold		
3-501.16	A) Some items on the buffet line were <135F including, Chicken and Broccoli 125.2F; Pork Ribs 129.7F, Fried Chicken 127.5F, egg rolls 130F, and fried rice 130F. B) Pan of fried rice from back kitchen 123F. C) Tub of cooked rice 110F. Potentially hazardous food must be held hot at 135 degrees or above. REPEAT VIOLATION	3/15/2016
3-501.16	A) Egg rolls in cooler were stored at 57.2F. B) Shrimp in walk-in cooler was stored at 53.1F Potentially hazardous food must be held cold at 41 degrees or below. REPEAT VIOLATION	3/15/2016
Other CDC Factors		
7-102.11	Spray bottle found without identifying information. Working containers of chemicals or toxic materials taken from bulk containers must be clearly and individually identified with the common name of the contents.	3/15/2016

**CDC Risk Violation(s):** 3

### Good Retail Practice Violations(s)



Tom Barrett  
Mayor

Bevan K. Baker, FACHE  
Commissioner of Health

Sandra J. Rotar  
Health Operations Administrator

**Health Department**

[www.milwaukee.gov/health](http://www.milwaukee.gov/health)

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

Code Number	Description of Violation	Correct By
3-304.12	Spoon stored in unmarked tub of pink liquid. Store in use utensils in running water, hot water of at least 135F, or in an empty container. REPEAT VIOLATION	3/15/2016
4-901.11	Pans were stacked while wet. Utensils and pans must be air dried after washing and sanitizing.	3/29/2016

**Good Practice Violation(s):** 2

**Total Violations:** 5

**Notes:**

FDL ok  
CFM Zhigang Niu 9/21/20

On 3/15/2016, I served these orders upon Hong Kong Express, Corp by leaving this report with

Inspector Signature (Inspector ID:114)

Operator Signature