City of Milwaukee
Health Department

Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Joe'Mar Hooper, MPA
Health Operations Administrator

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

Routine Food

Institute of Technology & Academics, Inc.
Institute of Technology & Academics
8940 N 85th St
Milwaukee,WI

3/31/2015

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

CDC Risk Code Factor Violation(s)

Code Number	Description of Violation	Correct By
CDC Risk Violation(s):	0	

Good Retail Practice Violations(s)

Code Number	Description of Violation	Correct By
5-103.11	No hot water available. 53F. Provide an adequate water supply. See Intent to Suspend order.	4/1/2015
Good Practice Violation(s):	1	

Total Violations: 1

Notes:

On 3/31/2015, I served these orders upon Institute of Technology & Academics, Inc. by leaving this report with

Inspector Signature (Inspector ID:84)

Operator Signature